



## P 产品介绍

Product Introduction

GRT103-T  
0.02mA)

6 4-20mA

4-20mA

(

## S 性能参数

Specifications

	4 ~ 20mA				
	0.5% F.S				
	10-28VDC				
	SWSN 433M 470M ; LORA 433M 470M				
	0.03mA				
	SWSN				
	SWSN	1000	80-160	LORA	5000 500-1000
	-30 ~ 80 , 95%				
	2~ 6				
	145*90*40mm (				
	DIN 35				
	200g				

## 操作方法 Operation method

- 1) 4~20mA " 11" " 0" " G" " 0" " 12"  
 " 1" " G" " 1" " 13" " 2" " G" " 2"  
 6
- 2) OFF ON ,

## 仪表设定 Instrument settings

- 1) " EN" 、 " ▶"  
 " EN" 、 " ▲"  
 2)按EN " " " " " EN" 、 " ▶"  
 " EN"  
 3)  
 4)  
 P004:  
 P005:  
 P006:  
 P010: 1~255 30  
 P014: 0-7

U002	U003	U004	U005	U006	U007	U008	U009
0	1	2	3	4	5	6	7

0 4.1mA, U002 0.975, 3.9975 (4.1×0.975= 3.9975) ,

U010	0	U018	4
U011	0	U019	4
U012	1	U020	5
U013	1	U021	5
U014	2	U022	6
U015	2	U023	6
U016	3	U024	7
U017	3	U025	7

## 安装与维护

Installation and maintenance

1)

2)

3)

4)